



Efka® FL 3750 & Efka® FL 3755

Polyacrylate-based leveling agents for solvent-borne and solvent-free coatings

Performance Highlights

- Improves flow behavior and promotes leveling
- Reduces orange peel and improves long wave of coating
- Eliminates or reduces cratering
- Does not change surface tension nor influence recoatability and intercoat adhesion
- Highly compatible - does not cause turbidity nor haze in clear coatings
- Thermally stable

Characteristic Values of Efka® FL 3750

Appearance	Clear, colorless liquid
Solids Content	~100%
Solvents	No

Characteristic Values of Efka® FL 3755

Appearance	Clear, colorless liquid
Solids Content	~52%
Solvents	MPA

Efka® FL 3750 & Efka® FL 3755

Polyacrylate-based leveling agents for all solvent-borne and solvent-free coatings


Efka® FL 3750 and Efka® FL 3755 are polyacrylate-based leveling agents for all solvent-borne and solvent-free coatings. They also help to reduce orange peel, as well as reduce or eliminate craters.

Efka® FL 3750 and Efka® FL 3755 are recommended for automotive OEM and refinish coatings, other transportation coatings, wood coatings and industrial coatings. Efka® FL 3750 and Efka® FL 3755 are also suitable for UV curing formulations and powder coatings. They can be used in both ambient curing and baking curing systems.


Comparison of Efka® FL 3755 with market benchmark

The diagrams below illustrates the compatibility and leveling of Efka® FL 3755 versus the market benchmark in 2K PU refinish clear coat.



Long wave and short wave scan



DOI



*Based on Setalux 1766



Contacts

Please contact our technical service department for more help on formulating with products from the Wetting Agents & Surface Modifiers product line.

Asia
BASF East Asia Regional HQ Ltd.
45/F., Jardine House
No.1 Connaught Place
Central
Hong Kong
formulation-additives-asia
@basf.com

Europe, Africa, West Asia
BASF SE
Formulation Additives
67056 Ludwigshafen
Germany
formulation-additives-europe
@basf.com

North America
BASF Corporation
11501 Steel Creek Road
Charlotte, NC 28273
USA
formulation-additives-nafta
@basf.com

South America
BASF S.A.
Rochaverá - Crystal Tower
Av. das Nações Unidas, 14.171
Morumbi - São Paulo-SP
Brazil
formulation-additives-south-america
@basf.com

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. When handling these products, advice and information given in the safety data sheet must be complied with. Further, protective and workplace hygiene measures adequate for handling chemicals must be observed. (01/2018)

® = Registered trademark of the BASF Group