

Foamaster® MO 2162

Versatile defoamer with excellent cost performance ratio for Architectural coatings

Performance Highlights

- Foamaster® MO 2162 shows excellent defoaming and antifoaming properties.
- Excellent persistency in defoaming and antifoaming .
- Best in class performance for bubble break time in mineral oil based defoamer category
- Delivers good balance in terms of compatibility and efficiency

Characteristic Values

Appearance	Pale to dark yellowish liquid
Active Content	100%
Density (gm/cm ³)	0.90 – 0.98
Chemistry	Mineral Oil




Foamaster® MO 2162

Excellent all round performance in architectural paint system

Performance in decorative Formulations

—●— Benchmark 1 —●— Benchmark 2 —●— Benchmark 3 —●— Foamaster MO 2162



- Excellent and persistent defoaming efficiency
- Excellent bubble break time
- Excellent compatibility across decorative binder systems

Contacts

Please contact our technical service department for more help on formulating with products from the Dispersing Agents product line.

Asia
BASF East Asia Regional HQ Ltd.
45/F., Jardine House
No.1 Connaught Place
Central
Hong Kong
formulation-additives-asia
@basf.com

Europe, Africa, West Asia
BASF SE
Formulation Additives
67056 Ludwigshafen
Germany
formulation-additives-europe
@basf.com

North America
BASF Corporation
11501 Steel Creek Road
Charlotte, NC 28273
USA
formulation-additives-nafta
@basf.com

South America
BASF S.A.
Rochaverá - Crystal Tower
Av. das Nações Unidas, 14.171
Morumbi - São Paulo-SP
Brazil
formulation-additives-south-america
@basf.com

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. When handling these products, advice and information given in the safety data sheet must be complied with. Further, protective and workplace hygiene measures adequate for handling chemicals must be observed. (01/2018)

© = Registered trademark of the BASF Group